

# Model 329

» **“A” version**

Load cell with attached display unit, without any accessories or options

» **“B” version**

Load cell with accessories or options



The load cell is particularly compact in height and this makes it very versatile. This particular instrument has been designed primarily for occasional force checks, for example for setting or service work, rather than continuous loading.


The display units in 63 mm diameter size have a maximum reading pointer.

## Technical information

Model	Size	Nominal value	High-pressure hose (m)	Capillary tube (m)	Weight (kg)	Dimensions (mm)																										
						øD1	øD2	øD3	øD4	H1	H2	H3	H4	H5	H6	L1	M1															
329- 250 N	0	250 N	-	-	1,0	75	~34	55	63	30	3	10	14	12,5	32	77	M6															
329- 400 N		400 N																														
329- 630 N		630 N																														
329- 1 kN		1 kN																														
329- 1,6 kN		1,6 kN																														
329- 2,5 kN		2,5 kN																														
329- 4 kN		4 kN																														
329- 6,3 kN		6,3 kN		1																												
329- 10 kN		10 kN																														
329- 16 kN		16 kN																														
329- 25 kN		25 kN		1														2,5														
329- 40 kN		40 kN																														
329- 40 kN		I		40 kN														1	2,5	1,7	90	~55	75	63	32	3	10	14	12,5	32	85	M8
329- 63 kN				63 kN																												
329- 100 kN	100 kN																															
329- 100 kN	II	100 kN	1	2,5	5,3	145	~112,5	130	63	38	4	10	16	12,5	32	111	M8															
329- 160 kN		160 kN																														
329- 250 kN		250 kN																														
329- 400 kN		400 kN																														
329- 400 kN		400 kN																1	2,5													
329- 630 kN		630 kN																														

Number of borings: 2 parts each displaced by 180°

Version "B" (e.g. High-pressure hose, capillary tube, borings etc.) on request.



**AMETEK®**  
TEST & CALIBRATION INSTRUMENTS

**UK**  
Tel +44 (0)1243 833 370  
uk-far.general@ametek.co.uk

**France**  
Tel +33 (0)1 30 68 89 40  
general.lloyd-instruments@ametek.fr

**Germany**  
Tel +49 (0)2159 9136 510  
info.mct-de@ametek.de

**Denmark**  
Tel +45 4816 8000  
ametekdk@ametek.com

**USA**  
Florida  
Tel +1 (727) 538 6000  
chatillon.fl-lar@ametek.com

California  
Tel +1 (800) 444 1850  
sales@crystalengineering.net

**India**  
Tel +91 22 2836 4750  
ametekdk@ametek.com

**Singapore**  
Tel +65 6484 2388  
ametekdk@ametek.com

**China**  
Shanghai  
Tel +86 21 5868 5111

Beijing  
Tel +86 10 8526 2111

Guangzhou  
Tel +86 20 8363 4768  
lloyd@ametek.com.cn

[www.chatillon.com](http://www.chatillon.com)